



Protection Housing

The housing serves for flexible, economic and easy mounting for many assembly situations. The mechanical stress, especially at mobile applications can be reduced by the used rubber shock absorbers between housing and cooler. The radiator side is protected by a robust grid.




order number	description	A	B	C	D	E	F	H	L	weight
		[in]	[in]	[in]	[in]	[in]	[in]	[in]	[in]	[lbs]
ILLEGAKT07GT	protection housing kit TT 07	13.39	16.73	6.77	11.42	11.81	7.48	15.16	9.45	18.30
ILLEGAKT11GT	protection housing kit TT 11	16.14	18.31	7.87	14.17	14.57	7.48	16.73	9.45	20.94
ILLEGAKT16GT	protection housing kit TT 16	19.29	23.23	12.05	17.17	17.72	8.27	21.65	10.24	30.86

order number	description	fits on cooler type			
		TT 07	TT 11	TT 16	TT 25
ILLEGAKT07GT	protection housing kit TT 07	•	–	–	–
ILLEGAKT11GT	protection housing kit TT 11	–	•	–	–
ILLEGAKT16GT	protection housing kit TT 16	–	–	•	–

- ... optional available
- ... not available

Tread Plate / Radiator Guard

The tread plates are accessories for the asa series cooler types with side frames (AC and hydraulic drive versions). The solid plates are used for applications where maintenances and servicing procedures require the cooler as a safe surface to step on. The radiator guard is a solid protection to avoid damages on the radiator air fins and oil channels.



description	kit includes:	fits on cooler type					
		ASA 0177*	ASA 0257*	ASA 0367*	ASA 0467*	ASA 0567*	ASA 0927*
tread plate kit	plate, flat screws;	○	•	•	○	○	○
radiator guard	grid, screws, washers;	○	•	•	○	○	○

- ... optional available
- ... available on request
- * ... DC drive versions are not compatible with these accessories

This data sheet shows a technical overview of our products. Please contact us if more exact information is needed. As we are constantly improving our products, their characteristics, dimensions and weights may also change, although we do our best to incorporate these changes continually. The information in this data sheet is intended to be used as a first general guideline only. asa assumes no liability for any information therein, any errors, omissions, misprints, nor any direct or indirect damages, losses or costs resulting therefrom. The cooling performance and the general technical values indicated in this catalogue are measured at a test bench according to asa testing procedures. Because there is no standardized testing procedure, tests used by other manufacturers could have different results. Due to different conditions in testing and application environments the cooling performance may also vary by +/- 15%. Therefore we recommend all coolers to be checked under the system operating conditions. This is also true of vibrations and mechanical stress as well as for pressure peaks and thermal stress and any other relevant factors.